

ORIGINAL ARTICLE

A general method for the quaternization of *N,N*-dimethyl benzylamines with long chain *n*-alkylbromides

Kamil Kuča¹, Milan Kivala², Vlastimil Dohnal³

¹ Department of Toxicology, Purkyně Medical Military Academy, Hradec Králové, Czech Republic

² Department of Organic Chemistry, Institute of Chemical Technology, Praha, Czech Republic

³ Department of Analytic Chemistry, Faculty of Science, Masaryk University, Brno, Czech Republic

Received 12th August.

Revised 5th October.

Published online 14th October.

Summary

Benzalkonium bromides (BAK) are an important class of cationic surfactants with both industrial and commercial uses. They are used as preservatives for ophthalmic, nasal and parenteral products and they are also used as a topical antiseptic and medical equipment disinfectant. In this work a universal method for the preparation of these compounds is described. Using quaternization of *N,N*-dimethylbenzylamines with long-chain *n*-alkylbromides we have prepared C₈, C₁₀, C₁₂, C₁₄, C₁₆, C₁₈ and C₂₀ homologues of the benzalkonium bromides (BAK).

Keywords: benzalkonium bromides – dimethylbenzylamines – *n*-alkylbromides – alkylating agent – quaternization

INTRODUCTION

Benzalkonium bromides (BAK) are an important class of cationic surfactants with both industrial and commercial uses. These environmentally friendly antibacterial agents degrade relatively rapidly into non-toxic and inactive products after they have had their desired effect. BAK consists of a mixture of *N*-benzyl-*N,N*-dimethylalkyl-1-bromides, which differ in the length of the *n*-alkyl chain (C₁₂, C₁₄, C₁₆ etc.). Commercially available products contain varying ratios of these components. A very important BAK characteristic is its bactericidal and antimicrobiological properties. The possibilities of BAKs use in medicine are very extensive (Ferrier et al. 2004). The microbiological activity differs in the length of the *n*-alkyl chain. It is well known that the

C₁₂-homolog is most effective against yeast and fungi, the C₁₄ homologue against gram-positive bacteria and C₁₆-homolog against gram-negative bacteria (Merianos 1991). Because of this, they are used as preservatives of ophthalmic, nasal and parenteral products. As well, they are also used as a topical antiseptic and medical equipment disinfectant.

The molecule of the BAK consists of three different moieties: the long alkyl chain (C₁₂, C₁₄, C₁₆ etc.), the short alkyl chain (two times CH₃ group) and the benzyl group. Therefore, there exist three synthetic approaches to the preparation of this molecule. All these approaches are described as quaternization of the tertiary amine with the suitable alkylating agent. The first synthetic approach (**I**) consists of the quaternization of the *N,N*-dimethylbenzylamine (**1**) with the

n-alkylbromide (**2**) (Zhuravlev et al. 1954, Rudakova and Popova 1966, Moss et al. 1974, Novaki and El Seoud 1999). The second method (II) – reaction of the *N,N*-dimethyl-*n*-alkylamine (**3**) with benzylbromide (**4**) is also commonly used as a method for preparing BAK (Stepanenko et al. 1974, Avram 2001). The reaction of *N*-*n*-alkyl-*N*-methylbenzylamine (**5**) with methylbromide (**6**) is the last method (III) of preparing BAK. Because methylbromide is a gas, this reaction is known in the literature only with methyl iodide (Echols et al. 1981). All three methods are shown in Fig 1.

The general procedure for the preparation of BAK using the second above mentioned synthetic approach is described in the literature (Avram 2001). However, the first synthetic approach is not generally used and in every article there are described different conditions of the reaction (Zhuravlev et al. 1954, Rudakova and Popova 1966, Moss et al. 1974, Novaki and El Seoud 1999).

The goal of our work was to describe a simple and easily repeatable method for the synthesis of BAK using the first synthetic approach.




Fig. 1. Three possible methods of the synthesis of the benzalkonium salts

MATERIAL AND METHODS

Melting points were measured on a Boetius block and are uncorrected. The purity of all products was evaluated by HPLC (Spectra Physics instrument equipped with a UV 1000 detector, and Purospher RP-18E column) (Dohnal et al. 2003) and ^1H -NMR (Varian Gemini 300, 300MHz).

The general preparation procedure is described as follows. The preparation of the *N*-benzyl-*N,N*-

dimethyloctan-1-amonium bromide (**8a**) is shown in Fig. 2. *N,N*-dimethylbenzylamine **1** (1.0g, 0.007mol) in dry ethanol (25ml) was mixed with 1-bromooctane **7** (1.95g, 0.01mol). Mixture was refluxed for 28 hours. After that, solvent was evaporated and the oily residue was purified using column chromatography (Silikagel L 100/250 – VLDU-JEvP, Mobil phase CHCl_3 :MeOH 100:1). Fractions containing the desired product were collected and evaporated.




Fig. 2. Synthesis of the *N*-benzyl-*N,N*-dimethyloctan-1-amonium bromide

The evaporated crude product – *N*-benzyl-*N,N*-dimethyloctan-1-amonium bromide (8a) was then recrystallized from acetone, washed with ether and allowed to dry. Yield, 0.6g (25%), m.p. 58–60.5°C; ¹H NMR (300 MHz, DMSO-*d*₆): (8a) – δ0.84 (t, *J*=6.47Hz, 3H, CH₃); 1.26 (bs, 10H, (CH₂)₅); 1.75 (m, 2H, CH₂CH₂N⁺); 2.93 (s, 6H, (CH₃)₂N⁺); 3.23 (t, *J*=6.33Hz, 2H, CH₂N⁺); 4.54 (s, 2H, PhCH₂N⁺); 7.51 (bs, 5H, Ph).

Compounds 8b – 8g were prepared using the same method as for the above mentioned compound 8a. Their yields and melting point are shown in Table 1. Their ¹H NMR spectra are as follows

N-benzyl-*N,N*-dimethyldecan-1-amonium bromide (8b) – δ0.82 (t, *J*=6.60Hz, 3H, CH₃); 1.23 (bs, 14H, (CH₂)₇); 1.75 (m, 2H, CH₂CH₂N⁺); 2.93 (s, 6H, (CH₃)₂N⁺); 3.23 (t, *J*=7.15Hz, 2H, CH₂N⁺); 4.52 (s, 2H, PhCH₂N⁺); 7.50 (bs, 5H, Ph).

N-benzyl-*N,N*-dimethyldodecan-1-amonium bromide (8c) – δ0.82 (t, *J*=6.60Hz, 3H, CH₃); 1.2 (bs, 18H, (CH₂)₉); 1.75 (m, 2H, CH₂CH₂N⁺);

2.94 (s, 6H, (CH₃)₂N⁺); 3.24 (t, *J*=6.32Hz, 2H, CH₂N⁺); 4.55 (s, 2H, PhCH₂N⁺); 7.49 (m, 5H, Ph).

N-benzyl-*N,N*-dimethyltetradecan-1-amonium bromide (8d) – δ0.83 (t, *J*=6.60Hz, 3H, CH₃); 1.22 (bs, 22H, (CH₂)₁₁); 1.75 (m, 2H, CH₂CH₂N⁺); 2.93 (s, 6H, (CH₃)₂N⁺); 3.22 (t, *J*=7.71Hz, 2H, CH₂N⁺); 4.52 (s, 2H, PhCH₂N⁺); 7.51 (m, 5H, Ph).

N-benzyl-*N,N*-dimethylhexadecan-1-amonium bromide (8e) – δ0.82 (t, *J*=6.60Hz, 3H, CH₃); 1.21 (bs, 26H, (CH₂)₁₃); 1.75 (m, 2H, CH₂CH₂N⁺); 2.92 (s, 6H, (CH₃)₂N⁺); 3.21 (t, *J*=8.39 Hz, 2H, CH₂N⁺); 4.51 (s, 2H, PhCH₂N⁺); 7.51 (bs, 5H, Ph).

N-benzyl-*N,N*-dimethyloctadecan-1-amonium bromide (8f) – δ0.82 (t, *J*=6.47Hz, 3H, CH₃); 1.21 (bs, 30H, (CH₂)₁₅); 1.75 (m, 2H, CH₂CH₂N⁺); 2.92 (s, 6H, (CH₃)₂N⁺); 3.22 (t, *J*=8.25Hz, 2H, CH₂N⁺); 4.51 (s, 2H, PhCH₂N⁺); 7.51 (bs, 5H, Ph).

N-benzyl-*N,N*-dimethylicosan-1-amonium bromide (8g) – δ0.82 (t, *J*=6.47Hz, 3H, CH₃); 1.21 (bs, 34H, (CH₂)₁₇); 1.75 (m, 2H, CH₂CH₂N⁺); 2.93 (s, 6H, (CH₃)₂N⁺); 3.23 (t, *J*=8.26Hz, 2H, CH₂N⁺); 4.53 (s, 2H, PhCH₂N⁺); 7.50 (m, 5H, Ph).

Table 1. Reaction yields and melting points of the benzalkonium salts

Compound	Length of the n-alkyl chain	Yield %	Melting points of the products
8a	C ₈	25	58–60.5°C
8b	C ₁₀	13	36–39°C
8c	C ₁₂	41	38–43°C
8d	C ₁₄	46	46–49°C
8e	C ₁₆	50	77–80°C
8f	C ₁₈	71	84–88°C
8g	C ₂₀	52	86–92°C

RESULTS AND DISCUSSION

As mentioned above, the quaternary ammonium compounds (QACs) are widely used industrially and commercially. (McBain et al. 2004). Owing to their extensive use, exact and simple conditions for their preparation should be summarized. Benzalkonium bromides (BAK) are a special part of these compounds. There are three methods of preparing these compounds.

Using our general method we have prepared seven *N*-benzyl-*N,N*-dimethylalkan-1-amonium bromides (n-alkyl – C₈, C₁₀, C₁₂, C₁₄, C₁₆, C₁₈ and C₂₀). The preparation approach for all these

benzalkonium salts was similar. These compounds differ only in the length of the n-alkyl chain.

All the reaction yields and melting points of the final benzalkonium salts are shown in Table 1. The broader range between the beginning and ending of the melting points is caused by the presence of the long n-alkyl chain in the molecule.

According to our results, we can recommend this synthetic approach for broader use, thanks to its simplicity and the low price of the initial compounds.

In conclusion, we have developed a general method for the preparation of BAK. The melting points of the synthesised benzalkonium salts are

similar to those described in the literature (Zhuravlev et al. 1954, Moss et al. 1974). The reaction yields of the C₈ and C₁₀ homologues are low – probably thanks to their higher solubility in acetone during the crystallization process. On the other hand, the reaction yields of the C₁₂–C₂₀ homologues are sufficient and are comparable with those described in the literature (Rudakova and Popova 1966, Moss et al. 1974).

ACKNOWLEDGEMENTS

The authors wish to thank to Mrs. Martina Hrabínová for her skilful assistance. The work was supported by the grant of Ministry of Industry and Trade (Czech Republic) FF-P2/115.

REFERENCES

- Avram E.: Quaternization reaction of some N,N-dimethylalkylamines with benzyl chloride. *Rev. Roum. Chim.* 46: 49–54, 2001.
- Dohnal V., K. Kuča, M. Bielavská, J. Cabal: Determination of the benzalkonium homologs in disinfectant using HPLC (In Czech). *Zprav. Voj. Farm.* 13: 5–8, 2003.
- Echols L., V.P. Maier, S.M. Poling, P.R. Sterling: New bioregulators of gibberellin biosynthesis in *Gibberella fujikuroi*. *Phytochemistry* 20: 433–438, 1981.
- Ferrier A., D. Garin, J.M. Crance: Rapid inactivation of vaccinia virus in suspension and dried on surfaces. *J. Hosp. Infect.* 57: 73–79, 2004.
- McBain A.J., R.G. Ledger, L.E. Moore, C.E. Catrenich, P. Gilbert: Effects of quaternary-ammonium-based formulations on bacterial community dynamics and antimicrobial susceptibility. *Appl. Environ. Microbiol.* 70: 3449–3456, 2004.
- Merianos J.J. In Block S.S. (ed.), *Disinfection, sterilization and preservation*; Lea and Febinger, PA, 1991, pp. 225–255.
- Moss R.A. and W.L. Sunshine: Micellar catalysis of ester hydrolysis. The Influence of chirality and head group structure in “simple” surfactants. *J. Org. Chem.* 39: 1083–1089, 1974.
- Novaki L.P. and O.A. El Seoud: Solvatochromism in aqueous micellar solutions: effects of the molecular structures of solvatochromic probes and cationic surfactants. *Phys. Chem. Chem. Phys.* 1: 1957–1964, 1999.
- Rudakova A.W. and L.P. Popova: Study of reaction capability of lygnoceryl alcohol (In Russian). *Z. Obsc. Chim.* 36: 242–244, 1966.
- Stepanenko B.N., T.S. Ulimina, V.V. Zelenkova: Synthesis of some quaternary salts of ammonium compounds (In Russian). *Chim. Farm. Z.* 8: 21–24, 1974.
- Zhuravlev S.V., N.D. Sukhareva, E.K. Chadova: The synthesis and study of quaternary ammonium salts (In Russian). *Tr. Central. Nauch. Issl. Dezinf. Inst.* 8: 125–127, 1954.

✉ Address:

Kamil Kuča, Department of Toxicology, Purkyně Military Medical Academy, Třebešská 1575, 500 01 Hradec Králové, Czech Republic; kucakam@pmfhk.cz
